

BALER & COMPACTOR

www.ptrco.com

Stationary Compactors





TP-2000H

Tram-Pak **Stationary Compactor**

Designed For * Retailers * Hospitals * Hotels * * Distribution Centers * * Manufacturing Centers * Recycling Centers * Home Centers *

When the TP-2000HD Series was designed, we challenged our engineers to see how long the machines could hold up in the field. We are pleased to say those machines originally built in the early 70's are still performing. All components are built using heavy-duty structural steel components and welded by AWS certified technicians. This unit has total U.L. approval, standard 3 button controls (On/Off key switch, mushroom stop, auto reverse) and a 13' Sealtite.

Specifications

Charge Box Capacity 2 Cu-YD [1.5 Cu-m] Clear Top Opening (L X W) 40" X 60" [102 cm x 152 cm]

Capacity Per Hour 78 cy/hr

Performance Characteristics

Average Cycle Time 46 sec Total normal Force 59,000 lbs [262,445 N] Total Maximum Force 67,858 lbs [301,847 N] Normal Ram Pressure 33 psi [228 Kpa] Maximum Ram Pressure 38 psi [262 Kpa]

Electricrical Equipment

Electric 208 / 230 / 460 - 3 Phase

Control Voltage 110 - 120 Vac

Hydraulic Equipment

Pump 15.0 GPM [56.8 L/m] Normal Pressure 2,100 psi [14,479 KPa] Maximum Pressure 2,400 psi [16,547 KPa] Cylinder Bore 6" [15.24 cm] Cylinder Rod 3 1/2" [8.9 cm] Weight 5,000 Lbs [2,268 Kg]















