

PTR

800-523-3654

BALER & COMPACTOR

www.ptrco.com

Vertical Balers



2300HDLP

Vertical Downstroke Baler

Designed For:

- * Warehouses * Retail Chains**
- * Distribution Centers * Manufacturing Plants ***



Our most popular high density downstroke 60" baler the 2300HDLP is constructed with heavy duty structural steel and produces bales up to 1,000 lbs.

Dimensional Data

Overall (Width x Depth x Height) 78" x 41" x 142"

[198 x 104 x 361 cm]

Feed Height 54 3/4" [139 cm]

Baler Chamber (Depth x Height) 30" x 48" [76 x 122 cm]

Bale Size

Bale Weight 850 - 1,000 Lbs OCC [386 - 499 Kg]

Bale Width 60" [152 cm]

Bale Depth 30" [76 cm]

Bale Height 48" [122 cm]

Pump, Electric shipping Weight Data

Pump 10.5 GPM [39.75 L/m]

Control Voltage 110 - 120 Vac

Electric 208 / 230 / 460 - 3 Phase

Ship Weight 4,490 Lbs [2,037 Kg]

Specifications

Cylinder Bore 6" [15 cm]

Cylinder Rod 3 1/2" [9 cm]

Rod Stroke 38" [97 cm]

Motor 10 Hp [7.45 Kw]

Average Cycle Time 56 sec

System Pressure

Working Pressure 2000 psi [13,790 KPa]

Relief Pressure 2300 psi [15,858 KPa]

Platen Force

Working Force 56,538 lbs [251,494 N]

Relief Force 65,019 lbs [289,219 N]

Ram Pressure

Nor Ram Pressure 30.9 psi [213 Kpa]

Max Ram Pressure 35.5 psi [245 Kpa]



 **MADE IN AMERICA**

PTR Baler & Compactor Company • 2207 E Ontario St. • Philadelphia, PA 19134
215-533-5100 • (FAX) 215-533-8906 • 800-523-3654 • www.PTRCO.com



Printed in the U.S.A.
© PTR Baler & Compactor