

## BALER & COMPACTOR

www.ptrco.com

# **Vertical Balers**



**7230** 

Vertical Downstroke Baler

### **Designed For:**

\* Warehouses \* Retail Chains

\* Distribution Centers \* Manufacturing Plants \*



This heavy-duty machine has been specifically engineered for applications where large boxes are the primary focus. The 7230 Series has all of the important safety features that make us the leader in the vertical industry.

#### **Dimensional Data**

Overall (Width x Depth x Height) 82 1/4" x 36" x 146 3/4"

[209 x 91 x 386 cm]

Feed Height 54 1/4" [138 cm]

Baler Chamber (Depth x Height) 30" x 72" [76 x 183 cm]

#### Bale Size

Bale Weight 1,100 - 1,400 Lbs [499 - 635 Kg]

Bale Width 72" [152 cm]

Bale Depth 30" [75 cm]

Bale Height 48" [122 cm]

#### Pump, Electric shipping Weight Data

Pump 10.5 GPM [39.75 L/m]

Control Voltage 110 - 120 Vac

Electric 208 / 230 / 460 - 3 Phase

Ship Weight 5,870 Lbs [2,585 Kg]

#### **Specifications**

Cylinder Bore 6" [15.24 cm]

Cylinder Rod 3 1/2" [8.9 cm]

Rod Stroke 48" [122 cm]

Motor 10 hp [7.45 Kw]

Average Cycle Time 56 sec

#### **System Pressure**

Working Pressure 2,000 psi [13,790 KPa]

Relief Pressure 2,300 psi [1,5858 KPa]

#### **Platen Force**

Working Force 56,549 lbs [251,543 N]

Relief Force 65,031 lbs [289.272 N]

#### **Ram Pressure**

Nor Ram Pressure 26.5 psi [183 Kpa]

Max Ram Pressure30.5psi [210 Kpa]











